


Peeling machine for Oranges and Kiwis Mod. PL4AV, PL2AV



The semiautomatic peeling machine for oranges and kiwis at manual load can be at 2 or 4 processing stations.



It has a structure in stainless steel and food-approved material.

All parts in touch with the fruit are suitable for hygienic and alimentary purposes.

The interior parts of the machine are protected by carters in stainless steel. This machine has manual central lubricating system.

PND srl

FRUIT PROCESSING MACHINERY



Technical Features:

	Mod. PL2AV	Mod. PL4AV
Max Capacity:	14-18 fruits/min	28-36 fruits/min
Machine depth:	1.400 mm about	1.600 mm about
Machine width:	870 mm about	1.180 mm about
Machine height:	2000 mm about	2000 mm about
Weight:	800 kg about	1.100 kg about
Power :	1,3 Kw	2,4 Kw
Air requirement:	6 bar 80 lt/h	6 bar 100 lt/h
Absorbed current:	6 A	6 A
Duty voltage:	380 V. 3 phases	380 V. 3 phases
Fruit diameter:	Ø 45 - Ø 120	Ø 45 - Ø 120
Peel Thickness :	1 - 3 mm	1 - 3 mm
Operator:	1	1

Made according to 89/392/EC regulations and following D.P.R. 459/96.


PND SRL
Via Orta Longa, 111
I 84018 Scafati SA - Italia
tel +39 081 850 9368
fax +39 081 856 51 68
email: info@pndsrl.it
www.pndsrl.it



FND srl

FRUIT PROCESSING MACHINERY

Universal SS8 for Fruit and Vegetable Coring and cutting machine in Sticks, slices and segments



The machine has a structure in stainless steel and food-approved material. All components are easily interchangeable, because they are produced to one design on NC-machine. All parts in touch with the fruit are suitable for hygienic and alimentary purposes. Besides, the interior parts of the machine are protected by carters in stainless steel to avoid accidents to the workers who use the machine. Changing the blades it is possible having fruits in different forms and sizes.



PND srl

FRUIT PROCESSING MACHINERY

The machine processes different fruit and vegetables in the following forms:

Stick 8x8 mm, 10x10 mm 12x12 mm,
Slices 5 mm, 6 mm, 8 mm, 10 mm,
Segments with and without core up to max 1/24

Pepper cored and cut in 4, 6, 8 parts
Pepper forms in 10x10mm. 20x20mm. 30x30 mm

Potatoes segments
Zucchini slices, stick and diagonally slice

Production capacity: 60-80 fruit/minute

Installed power: 1,5 Kw
 Depth: 1.000 mm ca.

Weight: 150 Kg ca.
 Voltage: 380 V.
 three phase

Height: 2.000 mm ca.
 Width: 1.000 mm ca.

Operator: 1



The machine is made according to 89/392/EC regulation and following D.P.R. 459/96.

PND SRL
 Via Ortolonga, 111
 I 84018 Scafati - Italia
 tel 0039 081 850 93 68
 fax 0039 081 85 65 168
 email info@pndsrl.it
 www.pndsrl.it

